## CITY OF EAST CHICAGO BOARD OF SANITARY COMMISSIONERS

## BOARD MEMBERS

Steve Flowers, President
Alojzy (Ben) Moricz, Vice-President
Tia Cauley, Member
Miguel (Mike) Rivera, Member

Regular Meeting Minutes
Thursday, March 18, 2021, at 4:30 p.m.

Reported for Fissinger & Associates, Ltd By: Peggy S. LaLonde, CSR, RPR

Call to Order: 4:30 p.m.

Pledge of Allegiance:

Roll Call: Present In Chambers: Steve Flowers
Present Telephonic Conference: Miquel
Rivera, Tia Cauley, Ben Moricz

Staff Present in Chambers: Anthony Herrera Staff Present Telephonic Conference: Ken Myers, Joseph Allegretti

MR. FLOWERS: Before I call the meeting to order, I just want to mention that a dear friend and fellow member of the Sanitary District Board, Mr. Loreto Gonzalez, "Baby Lou", passed away. I wanted to share the information for the members that may not have heard. If we could have a moment of silence. He was a good friend and of course a dedicated member here in the East Chicago community.

(A moment of silence.)

The meeting will now come to order, the meeting of the East Chicago, Indiana, Board of Sanitary Commissioners. This is March 18, 2021, 4:30 p.m., City Hall Chambers. The meeting is being conducted via phone conference. We'll also stipulate the members delegate the president the authority to execute all warrants, documents, minutes, etcetera, on behalf of the Commission, eliminating the need to collect signatures from the members participating electronically

First item, approval of the minutes of meeting held on March 4, 2021.

```
Page 2
                    MR. RIVERA: Motion to approve minutes.
 1
 2
                    MS. CAULEY: Second.
                    MR. FLOWERS: All in favor?
 3
                         (All signify aye.)
                    MR. FLOWERS: Motion carries.
 4
                         Next is check warrants, Sanitary
 5
     District, Waste Water Division.
     WARRANT 031021 SW - $91,260.21.
 6
                    MR. RIVERA: Motion to approve
 7
                    MS. CAULEY: Second.
 8
                    MR. FLOWERS: All in favor?
                         (All signify aye.)
 9
                    MR. FLOWERS: Motion carries.
10
     WARRANT 031821 SC - $422,156.24.
11
                    MR. MORICZ: Make a motion.
                    MR. RIVERA:
12
                                 Second.
                    MR. FLOWERS: All in favor?
13
                         (All signify aye.)
14
                    MR. FLOWERS: Motion carries.
     WARRANT 031821 SW - $74,099.74
15
                    MR. MORICZ: Make a motion.
16
                    MR. RIVERA: Second.
17
                    MR. FLOWERS: All in favor?
18
                         (All signify aye.)
                    MR. FLOWERS: Motion carries.
     PAYROLL WARRANT 030521 - Sanitary Board Payroll
19
                              Dates of 2-13-21 to 2-26-21
20
                    MR. RIVERA:
                                 Motion to accept warrant.
21
                    MS. CAULEY: Second.
22
                    MR. FLOWERS: All in favor?
23
                         (All signify aye.)
                    MR. FLOWERS: Motion carries.
     WARRANT 0305121 - Wastewater Payroll
24
                       Dates 2-13-21 to 2-26-21
25
```

```
Page 3
 1
                    MS. CAULEY: Motion to approve
 2
                    MR. RIVERA: Second.
 3
                    MR. FLOWERS: All in favor?
                         (All signify aye.)
 4
                    MR. FLOWERS: Motion carries.
     WARRANT 030521 - Utilities Payroll
                      Dates of 2-13-21 to 2-26-21.
 5
 6
                    MS. CAULEY: Make a motion.
 7
                    MR. MORICZ: Second.
                    MR. FLOWERS: All in favor?
 8
                         (All signify aye.)
9
                    MR. FLOWERS: Motion carries.
                         Sanitary District, Solid Waste
10
                         Division
     WARRANT 031821 SS - $40,999.54.
11
                    MR RIVERA: Make a motion.
12
                    MR. MORICZ: Second.
13
                    MR. FLOWERS: All in favor?
                         (All signify aye.)
14
                    MR. FLOWERS: Motion carries.
15
    WARRANT 030521 - Solids Payroll
                      Dates of 2-13-21 to 2-26-21
16
                    MR. RIVERA: Motion to approve.
17
                    MS. CAULEY: Second.
18
                    MR. FLOWERS: All in favor?
19
                         (All signify aye.)
                    MR. FLOWERS: Motion carries.
20
                         Report from Utility Division
    Matters: Ken Myers
21
                    MR. MYERS:
                                Thank you, Mr. Flowers.
     like to introduce myself to you and some day --
22
    hopefully -- we will meet in person. Some of the Board
    members I have met in the past as compliance manager.
23
    As you may or may not be aware, we have a reorganization
     involving the Utility Director, Sanitary District
24
    Operation, and the Filtration and Water Operations.
     going forward I am going to be responsible to handle all
25
```

matters and reporting with regard to the Sanitary District for the Utility Division, plant operations, systems and maintenance. Bring you up to speed a little bit. We have several items that we are completing. First of all, our Long Term Control Plan, the construction of CSO Phase 2. You are aware, bringing you up to speed, our contractor Kokosing has been busy primarily locating some utilities at our head works, getting the pipe so we 5 can do the future connects and the other work that, major work they were completing this past week with regard to Roxana lift station. The generator pad has 7 The transformer was actually suppose to be been poured. placed tomorrow and next week we'll continue with making that transfer of power from one transformer to the new transformer. And then there will be testing of the new 9 generator with the appropriate equipment. With regard to our own employees, work that's being planned two-weeks down the road at the 10 Waste Water Treatment Plant is going to be work at the Magoun lift station. We have contracted a company to do 11 the cleaning of the well, that will occur next Monday and that will be followed up with replacement of damaged 12 bar screens that we have down there. That work is scheduled for Wednesday and Thursday. And then we'll 13 complete the clean out of our discharge channel, our CSO 14 lagoon, anticipate in meeting the requirement of Kokosing so they don't have any unnecessary delay with 15 their planned activity. That's pretty much all. One other item that we have is that 16 as far as hiring, we have interviewed one candidate and extended an offer to somebody to take over the pretreatment coordinator position that was vacated and 17 have requested Human Resources to extend an offer for that person to come onboard, hopefully in two weeks. 18 you have any questions, I will address them now. 19 MS. CAULEY: Welcome. 20 Thank you. MR. MYERS: 21 MR. FLOWERS: Are you doing Solid Waste 22 also? 23 MR. MYERS: No, Solid Waste is usually handled by Keith Selvie. 24

MR. FLOWERS: We'll move on.

25

Mr. Myers.

Thank you,

```
1
                         Report from Financial Consultant.
 2
                    MR. HERRERA:
                                  The report is in the packet
     from Mr. Biller.
 3
                    MR. FLOWERS: Report from legal counsel,
 4
     Mr. Joe Allegretti.
 5
                    MR. ALLEGRETTI:
                                     Thank you.
                                                 One item
     that Mr. Myers and I have been working on together is
     the potential employment of an outside engineering firm
 6
     to evaluate and update our existing long term CSO
     control plan, which he's certainly more qualified to
     speak on this subject that I can. Ken can supplement
     whenever he wants, as he chooses.
 8
                         The Kokosing project is Phase 2 of
     the long term CSO control plan. It originated, first
     drafted and submitted back in 2004, and later in 2007 by
     a firm, who we don't do business with anymore, HNT, it's
10
     basically 20 years old. The original -- the Phase 3 of
     the project was back in 2007. Now we fear that the
11
     current cost estimate is as high as $60 million, which
     necessitates a reevaluation of the long term CSO control
12
     plan.
13
                         The biggest cost component of that
     plan is the sewer separation of Michigan Avenue. And I
     think in the last 20 years, it's fair to say that sewer
14
     separation has not been viewed as the most cost
     effective way of dealing with CSO discharges. There is
15
     other technology that's been developed and put in place
     since that time. We think because of that, there's a
16
     potential cost of 20 or $25 million. For that reason --
17
     and Ken Myers can supplement this or give his opinion on
     it -- we are going to be recommending or I am going to
18
     recommend, and I think Mr. Myers recommended, employing
     an outside engineering firm to conduct this evaluation
     and to update the plan, considering other cost effective
19
     alternatives.
                   We do have a proposal for initial cost of
20
     about $18,000
                         I know the Board doesn't like
21
     getting last minute items that haven't been discussed.
     Hopefully we can get this before you in a further in
     depth discussion of the problem for your consideration
22
     at the next meeting, and that's pretty much what I
     wanted to give you a preview of.
23
                         Ken, can you supplement that as you
24
     think is appropriate?
25
                                The only thing I would add is
                    MR. MYERS:
```

- that I recently got a letter from IDEM asking us about our submittal for our schedule and commitment to both
- 2 the Phase 2 control plan and ultimately the Phase 3 long term control plan. We get 30 days. We received the
- 3 letter yesterday. So little bit critical and actually a good place for us to bring in a consultant that has the
- 4 necessary expert and has the issues that we are looking to address, eliminating the sewer separation component
- and ultimately reducing our cost long term by implementing a different strategy, which they have been successful in doing in neighboring community.
  - MR. FLOWERS: Any questions from the members? (None) Thank you.
- New Business. Emergency Door Tech, \$8,405.00. Mr. Allegretti, can you tell us about that? I'm looking at this in front of me, the expenses of the washroom, hallway, and bar screen. Do you have any information on that?
- MR. MYERS: I can address that.
- MR. ALLEGRETTI: I know Commissioner
  Cauley always has a question as to listing these as an
  emergency. This is on the agenda as an emergency issue.
- This is actually a maintenance issue and characterizing it as an emergency is really not consistent with the
- term emergency is really not consistent with the term emergency as defined by the statute. But anyway, I don't mean to interrupt Mr. Myers.
- MR. MYERS: That is the point I wanted to make, this definitely does not qualify as an emergency.
- 17 This is routine maintenance of our buildings. The doors, double doors at our wastewater facility.
- 18 Maintenance building requires two doors to be replaced and the frames. The other one is for the Roxana pump
- 19 station, which we are working on. And since we are doing all this work, we want to make sure it's secure
- 20 after we put in the new equipment, the new controls.

  Again, this is routine maintenance
- 21 for corroded steel doors that have been in place for 30 years. And competitive bids were received and Door
- Tech was the low bidder of the two or three provided bidders that we sought costs from.
- MR. FLOWERS: Is there a motion to
- 24 accept?

7

MR. RIVERA: I have a question. Mr.

Myers, in other words these are things that must be It's nothing new, correct? done. 2 No, it is nothing new. MR. MYERS: something that needs to be addressed. Again, it doesn't fall under the emergency heading, but there are items that need to be addressed. As we evaluate the condition of our facilities, the doors are not working properly. And like I said, they are in a bad state of repair. 5 6 MR. FLOWERS: Thank you. 7 MR. RIVERA: I make a motion to accept the Door Tech proposal for the doors and the maintenance to be done. 8 MR. MORICZ: Second. MR. FLOWERS: Any questions regarding the 10 motion? All in favor? (None) 11 (All signify aye.) MR. FLOWERS: Motion carries. 12 Next, Dahme Mechanical Industries, Inc., \$5,250.00. 13 MR. MYERS: This particular request is -this is a time critical request in that we are having 14 Dahme Mechanical do the bar screen replacement at the 15 Magoun lift station. And this is all predicated on the schedule that was given to us by Kokosing with the work that they are doing at the plant for the CSO, Phase 2 16 portion, the construction. 17 The bar screens have been in need of repair for some time. They cause a backflow, a surge of water, which results in the water for the sanitary site 18 going over to the warm water side. And as the backflow increases, that water gets pumped into our CSO lagoon. 19 And Kokosing is going to be working on that in the next two weeks. We are -- by doing these repairs -- we are 20 going to prevent the normal flow from having any flows into the CSO lagoon to facilitate the work that Kokosing 21 is doing. 22 We are looking for your approval of this amount to complete those repairs so that work can be scheduled next week to accommodate the Kokosing 23 project schedule. 24

MR. FLOWERS:

25

motion to accept?

Thank you. Is there a

Page 8 1 MS. CAULEY: Make a motion. MR. RIVERA: 2 Second. 3 MR. FLOWERS: All in favor? (All signify aye.) MR. FLOWERS: 4 Motion carries. Next is Crane 1 #10905, \$5,688.19 5 MR. MYERS: Again, we are looking for approval so we can obtain Crane 1 to complete repairs on 6 the overhead cranes that are at the lift stations. have had that crane, overhead crane, inspected by Crane It's for the operational use and carrying weights because that crane is going to be used by Kokosing here in the near future with the pump change out as part of the CSO construction program. While Crane 1 certified that overhead crane for use, they did notice that there were 10 some OSHA compliance issues relative to the crane, which are more OSHA requirements regarding we need to change 11 the grounding method on that overhead crane. same time, they noted that a particular button was not 12 seeded properly and just needed to be replaced. 13 So Crane 1 has given us that cost proposal to complete those activities, and we are looking to do that in advance of Kokosing relying on the 14 use of that crane in the upcoming month or so. 15 MR. RIVERA: I make a motion to accept 16 the purchase order for repairs by Crane 1. MR. MORICZ: I second it. 17 18 MR. FLOWERS: All in favor? (All signify aye.) 19 Motion carries. Next, we have a rate sheet from 20 Meccon Industries, Inc. 21 MR. MYERS: We provided a rate sheet for time and material work to be done by Meccon Industries as work becomes identified. We are assembling some 22 other mechanical contractors that will also provide us 23 rate sheets in the future. This is in an effort so that we can establish purchase orders to facilitate us retaining their services to address any problems that 24 need to be addressed in a timely fashion. We'll already have their time and material rates provided so that we 25

```
1
                         So, right now we are looking for
     your approval of us accepting these rates for work going
     forward this year, to be used on separate individual
 2
     work orders.
 3
                    MR. RIVERA:
                                 Make a motion to accept the
     rate sheets for Meccon Industries.
 4
                    MS. CAULEY:
 5
                                 Second.
                    MR. FLOWERS: All in favor?
 6
                         (All signify aye.)
 7
                         Motion carries.
                         Next, an adjustment. Arcelor Mittal
8
    Harbor West Plant, account 010032.
 9
                    MS. GUZMAN:
                                 I'm sorry, I would like to
     remove this.
                   It was inadvertently presented.
     actually a Waterworks member, Vice-president John
10
    Bakota, that requested this information. So I apologize
11
     for presenting this before the Board.
                    MR. FLOWERS: We'll strike it or remove
12
     it from the agenda.
13
                         GATX - 4245 Railroad Avenue, account
    number 010415.
14
                    MS GUZMAN:
                                 I can explain this one.
15
    Again, Winna Guzman, Water Department. This is
     concerning an account and the meter related account.
16
    Bill number 1323976 for this account was due on
    January 18, 2021. The ACH payment relating to this bill
17
    was made timely by the customer, on February 12, 2021.
    However, it was posted by the Water Department on
18
    2/25/21. Customer was sent the ACH payment information
    to the incorrect e-mail. They have now the correct
19
    e-mail, so this should not occur again. As far as
    sending the payment and information, the payment was
    made timely.
20
21
                    MR. FLOWERS:
                                  Thank you.
22
                    MR. RIVERA: Make a motion to accept the
    recommendation for 4245 Railroad.
23
                    MS. CAULEY:
                                 Second.
24
                                  All in favor?
                    MR. FLOWERS:
25
                         (All signify aye.)
```

1 Motion carries. Unfinished Business: 2 concern, Mr. Allegretti. I did forward an e-mail in reference to the Gateway Debt Management. Did you get a 3 chance to review it? MR. ALLEGRETTI: Yes, I was going to call you after the meeting and I got sidetracked. is the DOJ, the local government of finance, as you 5 recall couple weeks ago you signed authorization allowing our statutory principal office, the Controller's Office, to access and to post data, which we are required to post, on the Gateway system. 7 financial information is being sought for posting on Gateway now has already been posted by the Controller's 8 Office, but we were unclear in the guidance document you got, Mr. Flowers, that it wasn't clear the stuff has already been posted. In fact, I wanted to talk to you 10 and we can do that some other time. All you have to do, you have got an e-mail from DOJ -- you need a user name and a password 11 and pin number -- and all you have to do, we can get on that site and go to the appropriate page under debt 12 management, East Chicago Sanitary District, and enter your user name, your password and pin number, and a hit 13 the button submit. I know this sounds crazy, but this is what government has come to these days. They require 14 the person in charge to sit there. So we have no true employees with the Sanitary District, that's the way the 15 DOJ has us use it. 16 You have to, as the president of the Board of Sanitary Commissioners, have to describe and hit the button that says submit, which has accurate 17 information and has been verified as accurate by the 18 Controller's Office. We have to up date really all of our outstanding debts. That's all been entered on the 19 Gateway, and you as president of the Sanitary Commissioners has to do that. And we can talk about 20 that tomorrow or at your convenience. 21 MR. FLOWERS: That was eventually submitted by someone in the Controller's Office? 22 MR. ALLEGRETTI: Well, this is based on my conversation with Tim Anderson. 23 I do have a password and 24 MR. FLOWERS: information already. Thank you for that explanation. 25

25

	Page 12
1	CERTIFICATE
2	
3	I, Peggy S. LaLonde, a competent and duly
4	qualified court reporter, do hereby certify that I did
5	report in machine shorthand the foregoing proceedings
6	and that my shorthand notes so taken at said time and
7	place were thereafter reduced to typewriting under my
8	personal direction.
9	
10	I further certify that the foregoing
11	typewritten transcript constitutes minutes of the said
12	proceedings taken at said time and place, so ordered to
13	be transcribed.
14	
15	Dated at Munster, Indiana, this 23rd day
16	of March, 2021.
17	
18	TO TO
19	Reggy S. La Londe
20	Leggy S. de Londe
21	Peggy S. LaLonde, CSR, RPR
22	
23	
24	
25	